

## Kwalu Features

#### Kwalu Fusion

- Kwalu's proprietary polymer material
- Non-coated
- Routered edge seam

## Moisture Impervious

• Our Kwalu material is smooth, non-porous, and liquid impervious

## Proprietary Maintenance-Free Finish

- Chemical, impact, ink, and scratch resistant
- 100% free of short-lived catalytic lacquers, polyurethane varnishes and delicate wood veneers
- Look of wood's enduring beauty, without undertaking its costly setbacks

#### Easy to Clean

- Withstands rigorous cleaning regime
- 100% bleach cleanable
- Provide long term cleanability
- Survives All EPA's Cleaning-Disinfectant Agents
- Survives Clorox's Healthcare Portfolio of Cleaning-Disinfectant Products

## 24/7 10-Year Performance Warranty on Kwalu-made Panels

- Kwalu's warranty is to term, not pro-rated
- Guaranteeing both the furniture construction and Kwalu finish
- For full details of warranty offered, including any bought-out items, please refer to the Terms and Conditions of Sale https://www.kwalu.com/sales-terms-conditions/

## **Eco-friendly**

- LEED credits available for "Material + Resources" and "Indoor Environmental Air Quality"
- Made in North America
- CARB Compliant



## **Auburn Collection Features**

#### Tops

- Edge Type: Waterfall profile
- Edge Banding Thickness: 3/8"
- Top Overhang: Sides: 1/8" Front: 1/4" Back: 1/16"
- Corner Radius: 1/2"
- Optional 1" thick solid surface top

#### Doors

- Door Style: Inset
- Door Hinge: 100° self-closing Euro hinge
- Edge Banding thickness: 1/16"

#### Drawers

- Drawer Style: Inset
- Drawer Slide: 100lb. nickel plated, soft close, ball bearing removable slides
- Drawer Box Sides and Back: 1/2" board
- Drawer Bottom: 1/4" board
- Drawer construction: 3- piece construction; dowel and mechanical fasteners
- Drawer Pulls: ADA Compliant pulls available
- Edge Banding Thickness: 1/16"

#### **Back Construction**

- 1/4" Solid board for most products
- 3/4" Back panel for bedside cabinets with casters

## Jointing System

• Dowel and mechanical fasteners

#### Vertical Aluminum Reinforcement

• On all cabinets in this collection

### Venting

- Venting on back of bedside cabinet with one drawer, one door
- Venting on back of bedside cabinet with three drawers and casters


#### Glides

- Standard option for most products: Nylon knock-in glides
- Cabinets over 30" wide and/or 48" high: Screw-in levelers

#### Casters Available

- 3" twin-wheel locking casters on front, 3" twin-wheel non-locking casters on rear for the following units: AUBS30HCCT AUBS30HCFT AUBS11HCFTL AUBS11HCCTL AUBS11HCCTL AUBS11HCCTR
- Supply cart 4" locking caster on front, 4" non-locking caster on rear





# Product Dimensions and Specs

Overall 24.25W 21.5D 71H


**Wt.** 173 lbs



# Product Statement of Line Images



Auburn Single Wardrobe, 2 Drawers, 1 Door, Left-Hinged Model: AUWR21L 24.25W 21.5D 71H



Auburn Single Wardrobe, 2 Drawers, 1 Door, Right-Hinged Model: AUWR21R 24.25W 21.5D 71H



## **Product Features**



Durable Finish

Kwalu's proprietary finish doesn't have any of the drawbacks of wood. The finish is moisture impervious, easy to clean and maintenance-free.



Wall Mount Hardware

The kit and instructions for wall mounting are included with this product. The wall mount smooth motion. instructions provided must be followed carefully for a secure, durable, and longlasting solution to ensure the safety of the unit and the user.



Door Hinges

100° self-closing, kitchen-grade Blum® Euro Hinges provide a



Drawers

Are constructed with both dowel and mechanical fasteners for additional strength. Ball bearing removable slides are fully extendable.



Clothes Rod

Standard clothing rod may be attached at ADA height of 48" from the floor.



Hardware

Choose from dozens of hardware styles, including ADA compliant options.



Other Wardrobe Styles

Auburn wardrobes have a number of Single styles, including 1 drawer and 1 door, 2 drawers and 1 door, no drawers and 1 door.



# **Product Finishes**

## Casegood Finish



## Product Environmental Certifications



