

### Kwalu Features

#### Kwalu Classic Solid Surface

- Kwalu's waterproof proprietary outer shell is a technologically advanced, robust solid surface polymer material (1/8" thick)
- Non-coated
- Offers a warm, pleasant, wood-like temperature to the touch

### Moisture Impervious

• Our Kwalu material is smooth, non-porous, and liquid impervious

### Proprietary Maintenance-Free Finish

- Chemical, impact, ink, and scratch resistant
- Will not chip or crack
- 100% free of short-lived catalytic lacquers, polyurethane varnishes, delicate wood veneers, and de-laminating HPL's
- Repairable with quick strokes of steel wool
- Look of wood's enduring beauty, without undertaking its costly setbacks

### Easy to Clean

- Withstands rigorous cleaning regime
- 100% bleach cleanable
- Chemically resistant, entirely smooth, high-performance solid surface (1/8" thick)
- Provide long term cleanability
- Survives All EPA's Cleaning-Disinfectant Agents
- Survives Clorox's Healthcare Portfolio of Cleaning-Disinfectant Products

### Patented Steel-Reinforced Joint Technology

- Patented inner steel-reinforced joint system holds frame together
- Eliminates costly and injury-prone construction failures
- No dowels or screws used to hold frame together

### Performance Warranty

- Kwalu's warranty is to term, not pro-rated
- Guaranteeing both the furniture construction and Kwalu finish
- Products that are ordered to be UV protected parts made from Kwalu are warranted against structural degradation for a
  period of ten years, and against color fading of no more than 20% of the original color for seven and a half years. We
  recommend the Kwalu finish is rubbed with 0000 steel wool annually to keep the finish looking clean and new, and to
  remove any yellowing which may occur
- For full details of warranty offered, including any bought-out items, please refer to the Terms and Conditions of Sale https://www.kwalu.com/sales-terms-conditions/

### **Eco-friendly**

- Made in North America
- 99% recycled inner-steel framing and long-lasting polymers



# Product Dimensions and Specs

Overall 21.5W 21.5D 38.25H

**Wt.** 67 lbs



## Product Statement of Line Images



Vivaio Trash Receptacle, Side-Load, Dome Top, 42 Gallon Liner Model: VIVTR1 21.5W 21.5D 45H



Vivaio Trash Receptacle,Top-Load, 42 Gallon Liner Model: VIVTR2 21.5W 21.5D 38.25H



## **Product Features**



Waterproof Outdoor UV
Protected Frame

Special additive protects frame against the elements and damaging ultraviolet rays.



Optional Lid Style

Available with top load or optional side load lids.



Optional Liner Color

42 gallon liner in grey is provided. The liner in beige is optional.



Optional Floor Mounting

A set of 4 L-shaped brackets and 8 screws to secure the brackets to the product are provided. Screws to attach brackets to the floor are not included.

## **Product Glides**

Nylon Knock in Glide 11/8 inch



## **Product Finishes**

### Frame Finish



### **Product Environmental Certifications**

